

SUMMAGAN: ENHANCING WEB NEWS SUMMARIZATION THROUGH GENERATIVE ADVERSARIAL NETWORKS

Matthew Walkman, Lindsay McGregor*

School of Computer Science, University of Waterloo, Waterloo, Canada.

Corresponding author: Lindsay McGregor, email: 425742251@uwaterloo.ca

Abstract: This paper introduces SummaGAN, a novel application of Generative Adversarial Networks (GANs) for text summarization. Unlike traditional summarization methods that rely on extractive techniques, SummaGAN uses adversarial learning to generate coherent and contextually accurate summaries. The model includes a transformer-based generator that creates summaries and a discriminator that evaluates their quality, guiding the generator to produce outputs that closely mimic human-written summaries. A large, diverse dataset of over 100,000 articles from domains such as news, scientific literature, and blogs was used to train and fine-tune the model. Experimental results show that SummaGAN significantly outperforms existing baseline models, including traditional extractive summarizers and advanced abstractive models, across multiple evaluation metrics such as ROUGE, BLEU, METEOR, and the newly introduced Coherence and Consistency Score (CCS). SummaGAN achieved a 15% improvement in ROUGE-1 scores and a 20% enhancement in BLEU scores, indicating better summary relevance and fluency. The CCS metric highlights SummaGAN's superior ability to maintain the logical flow and factual accuracy of the source text. This research demonstrates the potential of GANs to address challenges in text summarization, such as redundancy and loss of meaning, through dynamic adversarial learning. The integration of GANs with transformer architectures presents a robust framework for future NLP advancements. Future research will explore scaling the model for larger datasets, applying it in multilingual contexts, and refining the adversarial training process for improved efficiency and performance.

Keywords: SummaGAN; Generative Adversarial Networks (GANs); Natural language processing; Text summarization technology

1 INTRODUCTION

Text summarization is a pivotal task in natural language processing (NLP), aimed at reducing large volumes of text into concise summaries. This capability is increasingly important in a digital age characterized by information overload, where effective summarization tools are essential for navigating and understanding vast amounts of data across various domains, such as business, academia, and technology [1, 2].

Efficient text summarization not only enhances productivity by reducing the time required to process information but also improves the accessibility of data, making it easier for individuals to grasp essential insights quickly. These tools are particularly valuable in sectors where timely information processing is crucial, such as in healthcare, legal services, and finance [3, 4].

Traditional models for text summarization, such as rule-based and simple extractive algorithms, often struggle with maintaining semantic integrity, avoiding redundancy, and adapting to various text genres and domains [5, 6]. These limitations highlight the need for more sophisticated approaches that can generate summaries with higher accuracy and relevance [7, 8]. Pre-training techniques [9], such as those used in BERT and GPT, have revolutionized various NLP tasks, including summarization. These models are pre-trained on vast corpora to learn general language representations, which are then fine-tuned for specific tasks.

Generative Adversarial Networks (GANs), introduced by Ian Goodfellow et al., have revolutionized the field of generative modeling [10]. Their architecture, which involves two neural networks—a generator and a discriminator—competing against each other, has been highly effective in generating high-quality, realistic images and is now being explored for potential applications in text summarization [11].

This study explores the application of GANs to text summarization, hypothesizing that their unique adversarial learning process can address some of the existing challenges in the field [12]. By leveraging the strengths of GANs, the research aims to enhance the quality and usefulness of automated text summaries [13].

2 LITERATURE REVIEW

Text summarization has undergone significant transformations over the past few decades, evolving from simple rule-based methods to sophisticated machine learning and deep learning approaches. Early techniques primarily relied on extractive summarization, where key sentences or phrases were selected from the source text based on predefined rules or statistical features such as word frequency and sentence position [14]. These methods, while straightforward, often resulted in

summaries that lacked coherence and context, as they did not generate new sentences but merely extracted portions of the original text.

Extractive summarization techniques have advanced with the development of machine learning algorithms [15]. Methods like Maximum Marginal Relevance (MMR) [16], Latent Semantic Analysis (LSA) [17], Pre-Training and Refined Tuning [15], and graph-based algorithms such as TextRank [18] have been widely used. These approaches aim to balance redundancy and relevance, identifying sentences that contribute the most to the summary while avoiding repetition. However, extractive methods still face limitations in producing fluent and concise summaries, as they do not modify the extracted text to enhance readability or coherence.

Abstractive summarization, which involves generating new sentences that convey the essence of the source text, has gained traction with the advent of deep learning. Sequence-to-sequence (Seq2Seq) models, initially developed for machine translation [12], have been adapted for summarization tasks. These models consist of an encoder that processes the input text and a decoder that generates the summary, enabling more natural and human-like summaries. Attention mechanisms [19] and transformer architectures [20] have further enhanced the capabilities of models by allowing the model to focus on different parts of the input text during generation.

Recurrent neural networks (RNNs) and their variants, such as Long Short-Term Memory (LSTM) [21], and Gated Recurrent Units (GRUs) [22] have been widely used in summarization models. These models capture temporal dependencies in text, making them suitable for handling sequential data. However, RNN-based models often struggle with long-range dependencies and can be computationally intensive.

GANs have primarily been used in image generation and enhancement tasks [26]. The architecture of GANs involves two neural networks—the generator, which creates data samples, and the discriminator, which evaluates them. This adversarial process has shown promise in producing high-quality and realistic outputs. Initial applications of GANs in text generation [27] and translation [28] have demonstrated their potential in handling natural language tasks. However, their use in text summarization remains relatively underexplored.

Despite the promising results, the application of GANs in text summarization faces several challenges. One major issue is the difficulty in training GANs for text data, as the discrete nature of text makes it challenging to backpropagate gradients through the generator. Techniques such as policy gradient methods [29] and reinforcement learning [30] have been proposed to address this challenge, enabling more stable and effective training of GANs for text generation tasks.

The integration of GANs with pre-trained models offers a promising direction for future research. Hybrid models that combine the strengths of GANs and transformer architectures can potentially overcome the limitations of existing methods, providing more accurate and coherent summaries. Future research should explore the scalability of these models to larger datasets, their applicability in multilingual contexts, and the refinement of adversarial training techniques to enhance efficiency and performance.

3 Methodology

3.1 Model Architecture

SummaGAN comprises two main components:

- **Generator (G):** Utilizes a transformer-based model pre-trained on a large corpus to generate text summaries [31]. The generator focuses on creating summaries that are contextually relevant and semantically rich [32].
- **Discriminator (D):** Evaluates the quality of summaries by distinguishing between machine-generated and human-written summaries. The discriminator uses a similar transformer architecture and is trained to assess the fluency, coherence, and factual accuracy of the summaries [33].




Figure 1 Architecture of SummaGAN

3.2 Data Collection and Preparation

The dataset includes over 100,000 articles from diverse sources, such as news websites, scientific journals, and blogs. The preprocessing steps involve tokenization, normalization, and segmentation to ensure consistency across the dataset [34].

Table 1 Dataset Overview

Source	Document Type	Number of Documents	Preprocessing Steps
News Websites	News Articles	50,000	Tokenization, Normalization
Scientific Journals	Research Papers	30,000	Tokenization, Segmentation
Blogs	Blog Posts	20,000	Tokenization, Normalization

3.3 Training Process

Training SummaGAN involves an adversarial process where the generator produces summaries that the discriminator evaluates. The discriminator's feedback helps refine the generator's outputs iteratively.

- **Adversarial Training:** The initial phase involves training the generator and discriminator separately on a large text corpus. The generator learns to create summaries that closely resemble human-written summaries, while the discriminator learns to differentiate between real and generated summaries.
- **Fine-Tuning:** After adversarial training, both models are fine-tuned on the summarization-specific dataset to improve performance on relevant metrics. This phase involves additional training to fine-tune the generator's ability to produce coherent and contextually accurate summaries, and to enhance the discriminator's ability to evaluate the quality of these summaries.





Figure 2 Training Convergence of SummaGAN

4 EXPERIMENTATION AND RESULTS

4.1 Experimental Setup

The experiments compare SummaGAN with baseline models, including traditional extractive summarizers, an LSTM-based sequence-to-sequence model, and a transformer-based abstractive model. The evaluation metrics used are ROUGE, BLEU, METEOR, and the novel Coherence and Consistency Score (CCS).

**Figure 3** Comparative Setup of SummaGAN and Baseline Models

- A schematic showing the architecture of SummaGAN versus baseline models, highlighting the differences in layers and connections.

4.2 Results

SummaGAN outperformed the baseline models across all metrics:

- **ROUGE-1 Score:** SummaGAN achieved a 15% improvement over the best baseline model.
- **BLEU Score:** SummaGAN demonstrated a 20% improvement in fluency and coherence.
- **CCS:** The newly introduced metric showed superior contextual accuracy and narrative flow.

Table 2 Performance Comparison on Standard Metrics

Model	ROUGE-1	ROUGE-L	BLEU	METEOR	CCS
Extractive Summarizer	0.45	0.42	0.30	0.32	0.50
LSTM-based Summarizer	0.50	0.48	0.35	0.37	0.60
Transformer-based Model	0.55	0.52	0.40	0.42	0.70
SummaGAN	0.63	0.60	0.48	0.50	0.82

5 DISCUSSION

The results highlight the effectiveness of SummaGAN in enhancing text summarization. The generator's ability to produce contextually accurate and coherent summaries, coupled with the discriminator's rigorous evaluation process, leads to high-quality outputs. The model's performance across various metrics underscores its robustness and adaptability to different text genres.

Compared to traditional extractive and abstractive models [35], SummaGAN demonstrates significant improvements in summary quality. The adversarial training approach enables the generator to refine its outputs continually, resulting in summaries that are more accurate and relevant. This contrasts with the limitations of baseline models, which often struggle with redundancy and semantic coherence.

The success of SummaGAN opens avenues for further exploration in text summarization and other NLP tasks. The integration of GANs with transformer architectures presents a powerful framework for generating high-quality text across

various applications. Future research can build on this foundation to develop more sophisticated models and explore additional domains.

6 CONCLUSION

SummaGAN represents a significant advancement in text summarization technology. By leveraging the strengths of GANs and transformer architectures, the model addresses key challenges in traditional summarization methods. The research demonstrates the potential of adversarial training to enhance the quality and coherence of automated summaries.

Future work will focus on scaling the model to handle larger datasets and exploring its application in multilingual contexts. Additionally, further refinements to the adversarial training process can improve the model's efficiency and performance. Potential applications of SummaGAN include real-time news summarization, academic research, and legal document analysis, highlighting the model's versatility and impact.

COMPETING INTERESTS

The authors have no relevant financial or non-financial interests to disclose.

REFERENCES

- [1] Jones, K. S. Automatic summarizing: The state of the art. *Information Processing & Management*. 2007, 43(6): 1449-1481.
- [2] Ma, Z., Chen, X., Sun, T., Wang, X., Wu, Y. C., & Zhou, M. Blockchain-Based Zero-Trust Supply Chain Security Integrated with Deep Reinforcement Learning for Inventory Optimization. *Future Internet*. 2024, 16(5): 163.
- [3] Dorr, B. J., Zajic, D., & Schwartz, R. Hedge Trimmer: A parse-and-trim approach to headline generation. In *Proceedings of the HLT-NAACL 03 on Text summarization Workshop*. Association for Computational Linguistics. 2003, 5: 1-8.
- [4] Goodfellow, I. J., et al. Generative adversarial nets. *Advances in neural information processing systems*. 2014, 2672-2680.
- [5] Yu, L., Zhang, W., Wang, J., & Yu, Y. SeqGAN: Sequence Generative Adversarial Nets with Policy Gradient. *Proceedings of the AAAI Conference on Artificial Intelligence*. 2017, 2852-2858.
- [6] Liu, Y., Ott, M., Goyal, N., Du, J., Joshi, M., Chen, D., ... & Stoyanov, V. RoBERTa: A robustly optimized BERT pretraining approach. *arXiv preprint arXiv: 1907.11692*. 2019.
- [7] WANG, X., WU, Y. C., Zhou, M., & Fu, H. Beyond Surveillance: Privacy, Ethics, and Regulations in Face Recognition Technology. *Frontiers in Big Data*, 7, 1337465.
- [8] Radford, A., Narasimhan, K., Salimans, T., & Sutskever, I. Improving language understanding by generative pre-training. *OpenAI Blog*. 2018.
- [9] Zhang, Y., Gan, Z., Fan, K., Chen, Z., Henao, R., Shen, D., & Carin, L. Adversarial feature matching for text generation. *ICML*. 2017.
- [10] Devlin, J., Chang, M. W., Lee, K., & Toutanova, K. BERT: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. 2019, 1: 4171-4186.
- [11] Strubell, E., Ganesh, A., & McCallum, A. Energy and policy considerations for modern deep learning research. In *Proceedings of the AAAI conference on artificial intelligence*. 2020, 34(9): 13693-13696.
- [12] Dushyant, K., Muskan, G., Annu, Gupta, A., & Pramanik, S. Utilizing machine learning and deep learning in cybeseurity: an innovative approach. *Cyber security and digital forensics*. 2022, 271-293.
- [13] Sun, Y., Wang, X., & Tang, X. Deep learning face representation from predicting 10,000 classes. In *Proceedings of the IEEE conference on computer vision and pattern recognition*. 2014, 1891-1898.
- [14] Yan, W. *Computational methods for deep learning*. Springer. 2021, 10: 978-3.
- [15] Liu, M., Ma, Z., Li, J., Wu, Y. C., & Wang, X. Deep-Learning-Based Pre-training and Refined Tuning for Web Summarization Software. *IEEE Access*. 2024, 12: 92120-92129.
- [16] Lewis, M., Liu, Y., Goyal, N., Ghazvininejad, M., Mohamed, A., Levy, O., ... & Zettlemoyer, L. BART: Denoising sequence-to-sequence pre-training for natural language generation, translation, and comprehension. *arXiv preprint arXiv: 1910.13461*. 2019.
- [17] Zhou, Y., Geng, X., Shen, T., Long, G., & Jiang, D. EventBERT: A pre-trained model for event correlation reasoning. In *ACM Web Conference 2022*. 2022, 850-859.
- [18] Chung, H. W., Hou, L., Longpre, S., Zoph, B., Tay, Y., Fedus, W., ... & Brahma, S. Scaling instruction-finetuned language models. *arXiv preprint arXiv: 2210.11416*. 2022.
- [19] Nguyen, D. Q., Vu, T., & Nguyen, A. T. BERTweet: A pre-trained language model for English tweets. *EMNLP 2020*.

- [20] Hwang, S. J., & Jeong, C. S. Integrating pre-trained language model into neural machine translation. arXiv preprint arXiv: 2310.19680. 2023.
- [21] Yu, Y., Chung, J., Yun, H., Hessel, J., Park, J. S., Lu, X., ... & Kim, G. Fusing pre-trained language models with multimodal prompts through reinforcement learning. In IEEE/CVF Conference on Computer Vision and Pattern Recognition. 2023, 10845-10856.
- [22] Tan, J., Wan, X., & Xiao, J. Abstractive document summarization with a graph-based attentional neural model. In 55th Annual Meeting of the Association for Computational Linguistics. 2017, 1: 1171-1181.
- [23] Liu, Y., & Lapata, M. Text summarization with pretrained encoders. In 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP). 2019, 3721-3731.
- [24] Chen, X. Using Big Data Analysis Technology to Analyze the Impact of Household Leverage Ratio on House Price Bubble. In International Conference On Signal And Information Processing, Networking And Computers. Singapore: Springer Nature Singapore. 2021, 900-909.
- [25] Li, J., Tang, T., Zhao, W. X., Nie, J. Y., & Wen, J. R. Pretrained language models for text generation: A survey. arXiv preprint arXiv: 2201.05273. 2022.
- [26] Paulus, R., Xiong, C., & Socher, R. A deep reinforced model for abstractive summarization. arXiv preprint arXiv: 1705.04304. 2017.
- [27] Narayan, S., Cohen, S., & Lapata, M. Ranking sentences for extractive summarization with reinforcement learning. In North American Chapter of the Association for Computational Linguistics: Human Language Technologies (NAACL-HLT). 2018, 1747-1759.
- [28] Shi, T., Keneshloo, Y., Ramakrishnan, N., & Reddy, C. K. Neural abstractive text summarization with sequence-to-sequence models. ACM Transactions on Data Science. 2021, 2(1): 1-37.
- [29] Liu, M. Machine Learning Based Graph Mining of Large-scale Network and Optimization. In 2021 2nd International Conference on Artificial Intelligence and Information Systems. 2021, 1-5.
- [30] Wang, X., Wu, Y. C., Ji, X., & Fu, H. Algorithmic discrimination: examining its types and regulatory measures with emphasis on US legal practices. Frontiers in Artificial Intelligence. 2024, 7, 1320277.
- [31] Rush, A. M., Chopra, S., & Weston, J. A neural attention model for abstractive sentence summarization. In Conference on Empirical Methods in Natural Language Processing (EMNLP). 2015, 379-389.
- [32] Zhang, J., Zhao, M., Liu, Y., & Wang, L. PEGASUS: Pre-training with extracted gap-sentences for abstractive summarization. In Proceedings of the 37th International Conference on Machine Learning. 2020, 11328-11339.
- [33] WANG, X., WU, Y. C., Zhou, M., & Fu, H. Beyond Surveillance: Privacy, Ethics, and Regulations in Face Recognition Technology. Frontiers in Big Data. 2024, 7: 1337465.
- [34] Chen, X., Liu, M., Niu, Y., Wang, X., & Wu, Y. C. Deep-Learning-Based Lithium Battery Defect Detection via Cross-Domain Generalization. IEEE Access. 2024, 12: 78505-78514.
- [35] Wang, X., Wu, Y. C., & Ma, Z. Blockchain in the courtroom: exploring its evidentiary significance and procedural implications in US judicial processes. Frontiers in Blockchain. 2024, 7: 1306058.